

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>				1. CONTRACT ID CODE <div style="text-align: center;">J</div>		PAGE OF PAGES <div style="text-align: center;">1   5</div>	
2. AMENDMENT/MODIFICATION NO. 0003		3. EFFECTIVE DATE 15-Jun-2000		4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO.(If applicable)	
6. ISSUED BY USACE, CONTRACTING DIVISION 7400 LEAKE AVE., RM 172  NEW ORLEANS, LA 70118		CODE DACW29		7. ADMINISTERED BY (If other than item 6)  <b>See Item 6</b>		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X		9A. AMENDMENT OF SOLICITATION NO. DACW29-00-B-0069	
				X		9B. DATED (SEE ITEM 11) 19-May-2000	
						10A. MOD. OF CONTRACT/ORDER NO.	
						10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					
<b>11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS</b>							
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended. <p>Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods:  (a) By completing Items 8 and 15, and returning <u>1</u> copies of the document; (b) By acknowledging receipt of this amendment on each copy of the offer submitted;  or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN THE REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.</p>							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.							
A.THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.							
B.THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).							
C.THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:							
D.OTHER (Specify type of modification and authority)							
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.							
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) The above numbered solicitation for SELA, Improvements to Soniat Canal, West Napoleon Ave. to Veterans Memorial Blvd., Jefferson Parish, LA, is hereby amended as follows:  <div style="text-align: center;">BID OPENING DATE</div> BID OPENING DATE & TIME OF 19 JUNE 2000, 2:00 P.M., HAS BEEN CHANGED. BIDS WILL NOW OPEN ON 6 JULY 2000, 2:00 P.M., LOCAL TIME AT PLACE OF BID OPENING.							
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) DIANE K. PECOUL / CONTRACTING OFFICER			
15B. CONTRACTOR/OFFEROR  _____ (Signature of person authorized to sign)		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA  BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED  15-Jun-2000	

SPECIFICATIONS:

SECTION 00010

1. Bidding Schedule. Delete the Bidding Schedule, Pages 00010-5 thru 7, revised in Amendment No.0001, and substitute the attached revised Bidding Schedule pages 00010-3 thru 5.

SECTION 02318

Page 02318-1, paragraph 1.3.1 Excavation. In the first paragraph delete "00800-5.c." and in the second paragraph delete, "Section 00800, Paragraph 5.c.", and substitute, "Section 00700 Contract Clause entitled Physical Data (FAR 52.236-4), subparagraph c."

SECTION 02242

Page 02242-7 paragraph 3.4.3 Temporary Dam Location. Delete the second to last sentence and substitute with the following: "The toe of the protected side of the temporary dams shall be located within 25 feet of the braced excavation."

DRAWINGS:

Make the following changes to the drawings:

Dwg. 3 of 20.(Amendment No. 0001) In Grid A-2, on the scale of 1 inch equals 5 feet, delete the "12 inches" and substitute with "5 feet."

Dwg. 12 of 20. In the chart for Flume Unit Dimensions, delete flume units 1, 58, 59 and 60.

Dwg. 18 of 20. In the Wrought Iron Step detail in Grid B-5, delete note 4. STA. 188+75 (E.S. & W.S.)

Dwg. 2 of 20. Note 19. Delete the words "Section 0080" in the first sentence and substitute, "Section 00700 Contract Clause entitled Physical Data (FAR 52.236-4),subparagraph c."  
."

## SECTION 00010 - BIDDING SCHEDULE

Southeast Louisiana Urban Flood Control Project  
Improvements to Soniat Canal  
West Napoleon Ave to Veterans Memorial Blvd.  
Jefferson Parish, LA

Item	DESCRIPTION	Estimated Quantity	Unit	Unit Price	Estimated Amount
0001	Mobilization and Demobilization	1	LS		
0002*	Type 1 Barricades	5	EA		
0003*	Type 2 Barricades	2	EA		
0004	Traffic Control and Coordination	1	LS		
0005**	Geotextile	50,700	SY		
0006	Selective Demolition	1	LS		
0007	Construction Dewatering	1	LS		
0008	Temporary Retaining Structures	1	LS		
0009	Excavation Above EL. 8.2'	17,500	CY		
0010	Excavation Below EL. 8.2'	72,600	CY		
0011	Canal Bank Grading	1	LS		
0012	Wash Racks	2	EA		
0013	Granular Material	7,300	CY		
0014	Embankment	1	LS		
0015	Bedding Material	30,300	CY		
0016	Vinyl Sheet Piling	3,230	SF		
0017	Gravity Sewer Pipe (12")	2,300	LF		
0018*	Gravity Sewer Manholes	7	EA		
0019	Sewer Force Main Relocations	860	LF		

SECTION 00010 - BIDDING SCHEDULE

Southeast Louisiana Urban Flood Control Project  
Improvements to Soniat Canal  
West Napoleon Ave to Veterans Memorial Blvd.  
Jefferson Parish, LA

Item	DESCRIPTION	Estimated Quantity	Unit	Unit Price	Estimated Amount
0020	Reinforced Concrete Drain Pipe (12")	326	LF		
0021	Reinforced Concrete Drain Pipe (18")	45	LF		
0022	Reinforced Concrete Drain Pipe (30")	59	LF		
0023	Reinforced Concrete Drain Pipe (36")	12	LF		
0024*	Flap Gate, 18"	1	EA		
0025*	Flap Gate, 30"	1	EA		
0026*	Drop Inlets	6	EA		
0027*	Drain Inlets	5	EA		
0028	Fencing	6,100	LF		
0029	Fertilizing, Seeding and Mulching	4.5	AC		
0030	Concrete Flume Section	2,800	LF		

TOTAL: \$\_\_\_\_\_

\* Firm, Fixed Price, Definite Delivery Quantity, not subject to the Variations in Estimated Quantities Clause

\*\* Denotes change from previous Bidding Schedule.

Award will be made as a whole to one bidder.

## SECTION 00010 - BIDDING SCHEDULE

Southeast Louisiana Urban Flood Control Project  
Improvements to Soniat Canal  
West Napoleon Ave to Veterans Memorial Blvd.  
Jefferson Parish, LA

Item	DESCRIPTION	Estimated Quantity	Unit	Unit Price	Estimated Amount
------	-------------	-----------------------	------	---------------	---------------------

NOTE 1: Bidders shall furnish unit prices for each item listed in the Schedule requiring a unit price. If the bidder fails to insert a unit price in the appropriate blank for required item(s), but does furnish an extended total, or an estimated amount for such item(s), the Government shall deem the unit price to be the quotient obtained by dividing the extended amount for that line item by the quantity. IF A BIDDER OMITTS BOTH THE UNIT PRICE AND THE EXTENDED TOTAL OR ESTIMATED AMOUNT FOR ANY ITEM, ITS BID SHALL BE DECLARED NON-RESPONSIVE AND THEREFORE INELIGIBLE FOR AWARD.

NOTE 2: EXPEDITING THE NOTICE TO PROCEED (NTP): The NTP for this contract will be expedited. The successful bidder is advised that performance and payment bonds shall be submitted within three (3) days after Notice of Award. The NTP will be issued immediately after verification of acceptable performance and payment bonds. Within seven (7) days after issuance of the NTP, the Contracting Officer or his authorized representative will meet with the Contractor to discuss the submittal process. Physical work cannot start until the Accident Prevention Program, Contractor Quality Control Plan, and other submittals which may be required, have been submitted and approved and all preliminary meetings called for under the contract, have been conducted.